



Art No. CV0044

Mini DisplayPort + USB to Dual-Link DVI Adapter

The Mini DisplayPort + USB to Dual-Link DVI signal format converter seamlessly connect next generation DisplayPort based MacBook, MacBook Pro, iMac, MAC mini, or MacBook Air with a Mini DisplayPort to conventional DVI displays, such as CRT, LCD monitors and projectors, especially for 30-inch Apple Cinema Display, you can enjoy the ultimate widescreen canvas with a resolution of 2560 x 1600 pixels.

Feature:

- Supports Mini DisplayPort 1.1a input and Dual-Link DVI or Single-Link DVI output
- Supports resolution 2560 x 1600 on the 30-inch Apple Cinema Display
- Supports Dual-Link DVI highest video resolution to WQXGA 2560 x 1600
- Supports Single-Link DVI highest video resolution 1920 x 1080
- Supports deep color 24bit
- Supports 268.5MHz bandwidth.
- Powered from Mini DisplayPort source and USB Port.

Packaging Information:

- Packing Dimension: 162x230x2 mm
- Packing Weight: 0.12kg
- Carton Dimension: 570x420x260 mm
- Carton Q'ty: 90pcs
- Carton Weight: 12.5kgs





Art No. CV0044

Mini DisplayPort + USB to Dual-Link DVI Adapter

Specification:

Signal Inputs/Output	
Input Video Signal	5 Volts p-p (TTL)
Output Video	Dual-Link DVI
Input/Output Connector	Input: Mini DisplayPort Male 20pin + USB Male Output: DVI Female (24+1)
Operating Frequency	
Vertical Frequency Range	50/60Hz
Resolutions(HDTV)	
Max resolution	1920x1080 for Single-link DVI 2560x1600 for Dual-link DVI
Environmental	
Operating Temperature	0°C to +70°C
Operating Humidity	10% to 85 % RH (no condensation)
Storage Temperature	-10°C to +80°C
Storage Humidity	5% to 90 % RH (no condensation)
Power Requirement	
External Power Supply	No external power needed
Power consumption (Max)	3W

