



Art No. HD0006

Mini HDMI Amplifier Switch, 3 to 1

This HDMI mini switch HD0006 not only has the key-press-switching function, but also has the intelligent function.

This kind of HDMI Amplifier mini Switch routes high definition video (in multiple resolutions up to 1080p) and digital audio from any one of the several sources to display units. All inputs accommodate the connections of the high definition video sources simultaneously, compatible well for HD-DVD, SKY-STB, PS3, Xbox360 etc. The output sends the high definition audio/video signals to a high definition display

Specification:

- Multifunctional on switching: intelligent or mechanical
- Supports HDMI High Speed
- Supports highest video resolution 1080p
- Supports 250MHz/2.5Gbps per channel (7.5Gbps all channel) bandwidth
- Supports 12bit per channel (36bit all channel) deep color
- HDCP pass-through
- Supports uncompressed audio such as LPCM

Package contents

- 1 x Mini HDMI Amplifier Switch, 3 to 1
- 1 x User Manual

Packaging Information:

- Packing Dimension: 125x185x31 mm
- Packing Weight: 0.082kg
- Carton Dimension: 500x320x180 mm
- Carton Q'ty: 50pcs
- Carton Weight: 5.3kgs



* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered trademark of their respective owners.



Made in China



Art No. HD0006

Mini HDMI Amplifier Switch, 3 to 1

Specification:

Signal Inputs/Output	
Input DDC Signal	5 volts p-p (TTL)
Maximum Single Link Range	1920x1080p
Output Video	HDMI High Speed
Operating Frequency	
Vertical Frequency Range	50/60Hz
Video Amplifier Bandwidth	2.5Gbps/250MHz
Resolutions(HDTV)	
Interlaced(50&60Hz)	480i, 576i, 1080i
Progressive(50&60Hz)	480p, 576p, 720p, 1080p
Mechanical	
Size(L-W-H)	50.5x51.1x13.5mm
Weight(Net)	28g
Environmental	
Operating Temperature	0°C to +70°C
Operating Humidity	10% to 85 % RH (no condensation)
Storage Temperature	-10°C to +80°C
Storage Humidity	5% to 90 % RH (no condensation)
Power Requirement	
External Power Supply	No power needed
Power consumption (Max)	5W


Note: Specifications are subject to change without notice.



Art No. HD0006

Mini HDMI Amplifier Switch, 3 to 1

Panel Descriptions:



Intelligent Function:

- 1) Once the source device is turned on or plugged in (should stay power-on mode), the switcher will automatically select this source.
- 2) Once the source device is turned off or plugged out, the switcher will automatically select the next power-on source depending on the sequence automatically (input1 > input2 > input3)

Note:

- When the source devices are on the stand-by mode, its power supply should be turned off, otherwise this switcher can not meet intelligent function.
- When plugged in or out, this switcher is completely intelligent.

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered network of their respective owners.



Made in China